TOPIC #17 THE IPCC FINDINGS **Part 1**: About the IPCC, the Projections, & Impacts pp 89-92

The most comprehensive source of information on Global Climate Change -- the IPCC



INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE



 Established by World Meteorological Organization (WMO) and the United Nations Environment Programme (UNEP) in 1988 as an objective source of information for decision-makers, etc.

"to provide the world with a clear scientific view on the current state of climate change and its potential environmental and socioeconomic consequences" (IPCC 2007)

• The IPCC does not conduct any research nor does it monitor climate related data or parameters.


Began with:

The "First Assessment Report" (FAR) in 1991



Most recent: "Assessment Report 4" (AR4) in 2007

- Its role is <u>to assess</u> on a comprehensive, objective, open and transparent basis the latest scientific, technical and socioeconomic literature produced worldwide relevant to the understanding of:
 - the **risk** of human induced climate change
 - its observed and projected impacts and
 - options for adaptation and mitigation.



• The IPCC is a scientific body

• Thousands of scientists from all over the world contribute to the work of the IPCC on a voluntary basis.

• <u>PEER REVIEW</u> is an essential part of the IPCC process, to ensure an objective and complete assessment of current information.

• <u>Differing viewpoints</u> existing within the scientific community are reflected in the IPCC reports.



• The IPCC is an intergovernmental body, and it is open to all member countries of UN and WMO.

• Because of its <u>scientific</u> and <u>intergovernmental</u> <u>nature</u>, the IPCC embodies a **unique opportunity** to provide rigorous and balanced scientific information to decision makers.

• By endorsing the IPCC reports, **governments** acknowledge the authority of their scientific content.

• The work of the organization is **therefore policy**relevant and yet policy-neutral, never policyprescriptive.

AR4 (IPCC 2007)

Small, low income, vulnerable people & nations: They are least responsible, yet likely to be impacted the most!



The IPCC has three working groups and a Task Force:


Working Group I (WGI) assesses the scientific aspects of the <u>climate system</u> and <u>climate change</u>.

Working Group II (WGII) addresses the <u>vulnerability of socio-economic and natural systems</u> to climate change, negative and positive consequences of climate change, and options for adapting to it.

Working Group III (WGIII) assesses options for <u>limiting greenhouse gas emissions</u> and otherwise mitigating climate change

The Task Force on National Greenhouse Gas Inventories oversees the National Greenhouse Gas Inventories Program

The Fourth Assessment Report (AR4) was released in 2007, and it consists of four volumes: the three IPCC Working Groups (WGs) Reports and a Synthesis Report (SYR)







First introduced in the Third Assessment Report (TAR) IPCC Report (2001):


Estimates of confidence in the report's results / conclusions:


- virtually certain (greater than 99% chance that a result is true)
- very likely (90-99% chance);
- likely (66-90% chance);
- medium likelihood (33-66% chance);
- unlikely (10-33% chance);
- very unlikely (1-10% chance);
- exceptionally unlikely (less than 1%) chance).




IPCC 2007:

Projected Climate Change for Different Scenarios of GHG Emissions






p 91




Self test 8



From *Dire Predictions* (p 20)

Possible CO₂ emissions scenarios, or "storylines"




If these things happened . . .

- Regional income differences reduced
- Rapid economic growth
- Peak population in mid 21st century, then declining
- Rapid intro of new more efficient technology

From *Dire Predictions* (p 86)

POSSIBLE CO₂ EMISSIONS SENARIOS FOR THE FUTURE




If these things happened . . .

- Emphasis on GLOBAL solutions to sustainability & environmental protection
- Rapid change to information
 & service economy
- Peak population in mid-21st century, then declining
- Less intense demand for materials
- Intro of clean and efficient energy technologies

From *Dire Predictions* (p 87)

POSSIBLE CO₂ EMISSIONS SENARIOS FOR THE FUTURE




If these things happened . . .

- Emphasis on national identities and local/regional (not global) solutions to environmental protection and social equity
- Slow economic growth
- Continuously increasing world population
- Slow technological advancement

From *Dire Predictions* (p 86)

POSSIBLE CO₂ EMISSIONS SENARIOS FOR THE FUTURE



If these things happened . . .


- Emphasis on local and regional (not global) solutions to environmental protection & social equity
- Intermediate economic development
- Continuously increasing world population (but slower than A2)
- Slower development of new energy technologies than B1 and A1

From <u>Dire Predictions</u> (p 87)

RANGE OF POSSIBLE TRAJECTORIES FOR FUTURE CLIMATE CHANGE


Spread of results due to:

- (a) which future emission scenario used
- (b) variations among different climate models



ESTIMATED CO₂ AND TEMPERATURE TRAJECTORIES FOR VARIOUS EMISSIONS SCENARIOS

From *Dire Predictions* (p 88)




POSSIBLE PATHS OF FUTURE GLOBAL WARMING

From *Dire Predictions* (p 20)

Projected Warming by Late 21st Century (2090-2099) based on the A1B "Middle of the Road" Scenario

Geographical pattern of surface warming



 Cold days and nights will be warmer and less frequent over most land areas Hot days and nights will be warmer and more frequent over most land areas 	VIRTUALLY CERTAIN 99%	ſ				
 If the atmospheric CO₂ level stabilizes at double the present level, global temperatures will rise by more than 1.5°C The warming over inhabited continents by 2030 will be about double the observed variability during the 20th century There will be an observed increase in methane concentration due to human activities The rate of increase in atmospheric CO₂, methane, and nitrous oxide will reach levels unprecedented in the last 10,000 years The frequency of warm spells and heat waves will increase The frequency of heavy precipitation events will increase Precipitation amounts will increase in high latitudes The ocean's conveyor-belt circulation will weaken or shut down abruptly 	VERY LIKELY 90%					
 If the atmospheric CO₂ level stabilizes at double the present level, global temperatures will rise by between 2°C and 4.5°C The future increase in global average surface temperature will be between -40% and +60% of the values predicted by climate models Areas affected by drought will increase The number of frost days will decrease, and growing seasons will lengthen Intense tropical cyclone activity will increase, with greater wind speeds and heavier precipitation Extreme high-sea-level events will increase, as will ocean wave heights of mid-latitude storms Precipitation amounts will decline in the subtropics The loss of glaciers will accelerate in the next few decades Climate change will promote ozone-hole expansion, despite an overall decline in ozone-destroying chemicals 	LIKELY 66%					
 The West Antarctic ice sheet will pass the melting point if global warming exceeds 5°C 	ABOUT AS LIKELY AS NOT 35–50%					
Antarctic and Greenland ice sheets will collapse due to surface warming	UNLIKELY					
 The ocean's conveyer-belt circulation will suffer an abrupt transition If the atmospheric CO₂ level stabilizes at double the present level, global temperatures will rise by less than 1.5°C 	VERY UNLIKELY 10%					
0 10 20	30 40 50 60 70	80 90				
© 200 PROBABILITY (%)						
From <i>Dire Predictions</i> (p 21)						

VIRTUALLY CERTAIN 99%

 Cold days and nights will be warmer and less frequent over most land areas Hot days and nights will be warmer and more frequent over most land areas 		VIRTUALLY CERTAIN 99%								
	0	10	20	30	40	50	60	70	80	90
	PROBABILITY (%)									

- Over most land areas: COLD DAYS & NIGHTS will be WARMER; cold days & nights will be LESS FREQUENT
- Over most land areas: HOT DAYS & NIGHTS will be WARMER; hot days & nights will be MORE FREQUENT

VERY LIKELY 90%

- GLOBAL TEMPERATURES WILL RISE by > 1.5 °C (if CO₂ stabilizes at 2x)
- WARMING by 2030 will be DOUBLE the observed variability during 20th century
- RATE of increase of GHG's will be UNPRECEDENTED in 10,000 yrs
- Frequency of WARM SPELLS & HEAT WAVES will INCREASE
- Frequency of <u>HEAVY</u> PRECIPITATION EVENTS will INCREASE
- Ocean's conveyor-belt circulation will WEAKEN OR SHUT DOWN abruptly


 If the atmospheric CO₂ level stabilizes at double the present level, global temperatures will rise by more than 1.5°C 	VERY LIKELY 90%
 The warming over inhabited continents by 2030 will be about double the observed variability during the 20th century 	
 There will be an observed increase in methane concentration due to human activities 	
 The rate of increase in atmospheric CO₂, methane, and nitrous oxide will reach levels unprecedented in the last 10,000 years 	
 The frequency of warm spells and heat waves will increase 	
 The frequency of heavy precipitation events will increase 	
 Precipitation amounts will increase in high latitudes 	
 The ocean's conveyor-belt circulation will weaken or shut down abruptly 	

LIKELY 66%

- GLOBAL TEMPERATURES WILL RISE : 2 4.5 °C (if CO₂ stabilizes at 2x)
- Areas affected by DROUGHT will increase
- # of FROST DAYS will DECREASE; GROWING SEASON LENGTHEN
- INTENSE Tropical Cyclone Activity will INCREASE wind, heavy rain
- Extreme HIGH SEA LEVEL events will increase, wave heights
- SUBTROPICS (that's us!): PRECIPITATION DECLINE
- GLACIER LOSS accelerates

Stratospheric cooling → ozone hole persistence; even WITH ban of CFC's

- If the atmospheric CO₂ level stabilizes at double the present level, global temperatures will rise by between 2°C and 4.5°C
- The future increase in global average surface temperature will be between -40% and +60% of the values predicted by climate models
- Areas affected by drought will increase
- The number of frost days will decrease, and growing seasons will lengthen
- Intense tropical cyclone activity will increase, with greater wind speeds and heavier precipitation
- Extreme high-sea-level events will increase, as will ocean wave heights of mid-latitude storms
- Precipitation amounts will decline in the subtropics
- The loss of glaciers will accelerate in the next few decades
- Climate change will promote ozone-hole expansion, despite an overall decline in ozone-destroying chemicals



AS LIKELY AS NOT 35 - 50%

• W. ANTARCTIC ICE SHEET MELTING (if Temp > 5° C)

 The West Antarctic ice sheet will pass the melting point if global warming exceeds 5°C

UNLIKELY 35%

• ANTARCTIC & GREENLAND ICE SHEETS COLLAPSE

Antarctic and Greenland ice sheets will collapse due to surface warming

VERY UNLIKELY10%

• Ocean's **CONVERYOR BELT CIRCULATION** – abrupt transition

• GLOBAL TEMPERATURES will rise by <u>LESS</u> than 1.5° C (if CO₂ stabilizes at 2x)

- The ocean's conveyer-belt circulation will suffer an abrupt transition
- If the atmospheric CO₂ level stabilizes at double the present level, global temperatures will rise by less than 1.5°C



ABOUT AS LIKELY AS

NOT 35-50%

UNLIKELY

SEA LEVEL RISE

Temperature cha		e	Sea level rise				
(°C at 2090-2099		ative to 1980-1999) ^{∎, d}	(m at 2090-2099 relative to 1980-1999)				
Case	Best estimate	Likely range	Model-based range excluding future rapid dynamical changes in ice flow				
Constant year 2000 concentrations ^b	0.6	0.3 – 0.9	Not available				
B1 scenario	1.8	1.1 - 2.9	$\begin{array}{c} 0.18 - 0.38 \\ 0.20 - 0.45 \\ 0.20 - 0.43 \\ 0.21 - 0.48 \\ 0.23 - 0.51 \\ 0.26 - 0.59 \end{array}$				
A1T scenario	2.4	1.4 - 3.8					
B2 scenario	2.4	1.4 - 3.8					
A1B scenario	2.8	1.7 - 4.4					
A2 scenario	3.4	2.0 - 5.4					
A1FI scenario	4.0	2.4 - 6.4					

Table SPM.1. Projected global average surface warming and sea level rise at the end of the 21st century. {Table 3.1}



Climate Change and Sea Level




http://www.geo.arizona.edu/dgesl/research/other/climate_change_and_sea_level/s ea_level_rise/sea_level_rise_old.htm#images


IMPACTS an introduction . . .

(we'll see more in the G-6 Dire Predictions Presentations)

Warming by 2090-2099 relative to 1980-1999 for non-mitigation scenarios



GLOBAL WARMING IMPACT SCALE




- Human mortality increases as a result of heat waves, floods, and droughts
- ←9%-31% of species extinct
- Widespread extinction of amphibians underway
- Decreases in water availability; more frequent droughts in many regions
- Wildfire risk increases, as do flood and storm damage
- The burden from increased incidence of malnutrition and diarrhoeal, cardio-respiratory, and infectious diseases escalates

← Amount of global warning

(°C increase over 1980-1999 levels)

© 2009 Pearson Education, Inc.


From *Dire Predictions* (p 108)



GLOBAL WARMING

- ← Global economic losses of up to 5% of GDP
- At least partial melting of Greenland and West Antarctic ice sheets, resulting in eventual sea-level rises of 5–11 m
- ← Substantial burden on health services
- Decreases in global food production
- About 30% of global coastal wetlands lost
- 40%-70% of species extinct
- Corals extinct
- Changes in natural systems cause predominantly negative consequences for biodiversity, water, and food supplies
 - · Millions more flood victims every year
 - Major loss of tropical rainforests

Examples of impacts associated with global average temperature change (Impacts will vary by extent of adaptation, rate of temperature change and socio-economic pathway)



p 92

Beginning December 7th, 2009: http://en.cop15.dk/





http://tcktcktck.org/

http://tcktcktck.org/stories/human-impact/think-climate-change-enviro-issuewatch-our-human-voices-film

http://tcktcktck.org/stories/campaign-stories/hopeful-new-sound-10000-peopledance-climate-action

